DRAFT

Adverse Health Effects

Among Community Residents

Exposed to the Mayflower Oil Spill

Barry S. Levy, M.D., M.P.H.

Barry S. Levy, M.D., M.P.H., P.C.

July 27, 2017

Introduction

Starting on March 29, 2013, the Pegasus Pipeline, owned and operated by ExxonMobil, suffered a 20-foot rupture and released substantially more than 100,000 gallons of Wabasca Heavy Crude (diluted bitumen) in the contiguous neighborhood and lake in Mayflower, Arkansas. (BL to add more here)

Background and Experience

I am an occupational and environmental health physician and epidemiologist with more than 38 years of experience in this field. I received a Bachelor of Science degree from Tufts, a Master of Public Health degree from Harvard, and a Doctor of Medicine degree from Cornell. I completed residencies in Internal Medicine and Preventive Medicine. I am board-certified in both Internal Medicine and Occupational Medicine, and licensed to practice medicine in Massachusetts and Connecticut.

I have worked as a medical epidemiologist for the Centers for Disease Control; as a tenured professor at the University of Massachusetts Medical School, where I founded and directed the Occupational Health Program; and as a director of international health programs and projects. I am an Adjunct Professor of Public Health at Tufts University School of Medicine, where I have directed the Introduction to Environmental and Occupational Health course since 1993.

I have written more than 200 journal articles and book chapters and edited 18 books, including six editions of the textbook Occupational and Environmental Health. I have served as president of the American Public Health Association. I have received several awards from professional organizations.

I have clinically evaluated thousands of individuals who had developed, or were at risk of developing, adverse health effects due to environmental and/or occupational exposures. My curriculum vitae is attached as Attachment A.

Methodology

I reviewed the following information concerning the pipeline rupture of the Mobil Pipe Line Company Pegasus Pipeline System, Patoka to Corsicana Segment, in Mayflower, Arkansas, which began on March 29, 2013:

ExxonMobil Material Safety Data Sheet for Wabasca Heavy Crude Oil

Cenovus Energy, Inc., Material Safety Data Sheet for Heavy Crude Oil/Diluent Mix

Baker Hughes Material Safety Data Sheet for WAW3049 Water Treatment Additive

Continental Products Material Safety Data Sheet for Hydrochem C-135VT

Failure Investigation Report

Mayflower Pipeline Incident Map

Photographs of oil spill

Map of plaintiffs' locations in relation to oil spill

Letter to The Honorable Ed Markey from Theresa M. Fariello, Vice President, Washington Office, Exxon Mobil Corporation, dated May 28, 2013

Letter to Edwin Quinones (U.S. Environmental Protection Agency) from Richard Byrne, Assistant Chief Attorney, Environmental & Safety Law, Exxon Mobil Corporation, dated April 8, 2013

Letter to Edwin Quinones (U.S. Environmental Protection Agency) from Richard Byrne, Assistant Chief Attorney, Environmental & Safety Law, Exxon Mobil Corporation, dated April 10, 2013

A one-page memorandum concerning the release, which was prepared by Duncan Firm

A two-page document entitled "Notes on Chemical Exposure in Mayflower," prepared by Duncan Firm

In addition, I reviewed the following materials from the Center for Toxicology and Environmental Health LLC concerning air sampling done soon after the release:

- 1.40435 Conway, AR: ExxonMobil Summary of Air Monitoring Conducted by CTEH, March 29, 2013 1700 March 29, 2013 2359
- 2. Air Sampling and Monitoring Work Plan, Mayflower Pipeline Incident: Prepared on behalf of: ExxonMobil Pipeline Company, Mayflower, AR, April 1, 2013
- 3.40435 Conway, AR: ExxonMobil Summary of Air Monitoring Conducted by CTEH, April 02, 2013 24 hour period
- 4.40435 Conway, AR: ExxonMobil Summary of Air Monitoring Conducted by CTEH, April 10, 2013

To determine general causation regarding the association between petroleum oil and adverse health effects, I performed three literature searches to identify relevant articles in the medical and scientific literature:

Petroleum oil (and oil spills) and adverse health effects Adverse health effects associated with specific components of petroleum oil

Psychological effects of oil spills and other chemical releases

I reviewed each article individually. I also applied the Bradford Hill principles to the bodies of relevant medical and scientific literature to determine general causation between exposure to petroleum oil (including oil spills) and its constituent chemicals and adverse health effects.

For each of the 36 plaintiffs, I reviewed relevant deposition testimony and available medical records. I conducted telephone interviews of the 27 adult plaintiffs; for the nine minor plaintiffs, I interviewed their mothers. I performed a differential etiology analysis, considering alternative explanations for the plaintiffs' symptoms. I considered latency. I synthesized all of this information to develop my specific causation opinions.

Results

Plaintiffs' Symptoms

Plaintiffs reported one or more of the following symptoms: Headache

Dizziness or lightheadedness

Eye symptoms, including irritated, burning, watering (tearing), and/or itchy eyes

Sinus problems, including sinus congestion and/or sinus pressure

Nasal symptoms, including nasal irritation, burning nose, sneezing, nasal congestion, rhinorrhea (runny nose), and/or nosebleeds

Abnormal taste

Throat symptoms, including sore throat, burning throat, and/or irritated throat

Voice impairment

Lower respiratory symptoms, including shortness of breath (or difficulty breathing), cough, wheezing, chest congestion, chest/lungs burning, and/or bronchitis symptoms

Gastrointestinal symptoms, including nausea and/or vomiting and abdominal discomfort, including abdominal cramps

Loss of appetite

Diarrhea

Stomach discomfort

Hemorrhoid symptoms
Anxiety and/or depression
Symptoms of seasonal allergies
Skin rash
Fatigue
Difficulty sleeping
Worsening of multiple sclerosis

Onset of symptoms occurred shortly after plaintiffs were exposed to airborne chemicals from the release.

None of the plaintiffs had underlying medical conditions or other contemporaneous exposures that could solely account for their symptoms.

Chemicals Reported on Material Safety Data Sheets

ExxonMobil Material Safety Data Sheet for Wabasca Heavy Crude Oil

Reportable hazardous substance or complex substance Petroleum crude oil

Hazardous constituent(s) contained in complex substance

Benzene

Cyclohexane

Ethyl benzene

Hydrogen sulfide

N-hexane

Napththalene

Polynuclear aromatic hydrocarbons

Sulfur

Toluene

Xylenes

Cenovus Energy, Inc., Material Safety Data Sheet for Heavy Crude Oil/Diluent Mix

Hazardous ingredients of material

Crude oil

Hydrocarbon diluent

Benzene

Hydrogen sulphide (sulfide)

Baker Hughes Material Safety Data Sheet for WAW3049 Water Treatment Additive

Composition/information on ingredients

Methanol

Quaternary ammonia compounds

Continental Products Material Safety Data Sheet for Hydrochem C-135VT

Hazardous ingredient Methyl alcohol

Chemicals Detected in Air Monitoring

March 29, 2013

Benzene

Hydrogen sulfide

Sulfur dioxide

Volatile organic compounds

April 2, 2013

Benzene

Volatile organic compounds

April 10, 2013

Multiple chemicals, including:

Acetone

Benzene

Cyclohexane

Heptane

Hexane

Isopropyl alcohol

Toluene

m, p-xylenes

Opinions

Based on my review of the cited plaintiff-specific information, my review of the relevant medical and scientific literature and my application of the Bradford Hill Principles to that literature, my education and training, and my experience working in occupational and environmental medicine and epidemiology for more than 38 years, I hold the following opinions, with a reasonable degree of medical and scientific probability:

General causation: Exposure to petroleum oil and its constituent chemicals can cause all of the following:

Headache

Dizziness or lightheadedness

Eye symptoms, including irritated, burning, watering (tearing), and/or itchy eyes

Sinus problems, including sinus congestion and/or sinus pressure

Nasal symptoms, including nasal irritation, burning nose, sneezing, nasal congestion, rhinorrhea (runny nose), and/or nosebleeds

Abnormal taste

Throat symptoms, including sore throat, burning throat, and/or irritated throat

Voice impairment

Lower respiratory symptoms, including shortness of breath (or difficulty breathing), cough, wheezing, chest congestion, chest/lungs burning, and/or bronchitis symptoms

Gastrointestinal symptoms, including nausea and/or vomiting and abdominal discomfort, including abdominal cramps

Anxiety and/or depression

Skin rash

Fatigue

Difficulty sleeping

<u>Specific causation</u>: The plaintiffs' symptoms listed on Attachment B were caused by their exposure to the oil spill in Mayflower, Arkansas, which began in March 2013.

I reserve the right to amend or modify this report as further information may become available.

References

Oil Spills

Levy BS, Nassetta WJ. The adverse health effects of oil spills: A review of the literature and a framework for medically evaluating exposed individuals. International Journal of Occupational and Environmental Health 2011; 17: 161-167.

Campbell D, Cox D, Crum J, et al. Initial effects of the grounding of the tanker *Braer* on health in Shetland. British Medical Journal 1993; 307: 1251-1255.

Lyons RA, Temple JM, Evans D, et al. Acute health effects of the *Sea Empress* oil spill. Journal of Epidemiology and Community Health 1999; 53: 306-310.

Suarez B, Lope V, Perez-Gomez B, et al. Acute health problems among subjects involved in the cleanup operation following the *Prestige* oil spill in Asturias and Cantabria (Spain). Environmental Research 2005; 99: 413-424.

Carrasco JM, Lope V, Pérez-Gómez B, et al. Association between health information, use of protective devices and occurrence of acute health problems in the Prestige oil spill clean-up in Asturias and Cantabria (Spain): A cross-sectional study. BMC Public Health 2006; 6:1.

Janjua NZ, Kasai PM, Nawaz H, et al. Acute health effects of the Tasman Spirit oil spill on residents of Karachi, Pakistan. BMC Public Health 2006; 6:84.

Meo SA, Al-Drees AM, Rasheed S, et al. Health complaints among subjects involved in oil cleanup operations during oil spillage from a Greek tanker "Tasman Spirit." International Journal of Occupational Medicine and Environmental Health 2009; 22: 143-148.

Lee C-H, Kang Y-A, Chang K-J, et al. Acute health effects of the *Hebei* oil spill on the residents of Taean, Korea. Journal of Preventive Medicine and Public Health 2010; 43: 166-173.

Sim MS, Jo IJ, Song HG. Acute health problems related to the operation mounted to clean the *Hebei Spirit* oil spill in Taean, Korea. Marine Pollution Bulletin 2010; 60: 51-57.

Ordinioha B, Sawyer W. Acute health effects of a crude oil spill in a rural community in Bayelsa State, Nigeria. Nigerian Journal of Medicine 2010; 19: 140-144.

Volatile Organic Compounds

Arif AA, Shah SM. Association between personal exposure to volatile organic compounds and asthma among US adult population. International Archives of Occupational and Environmental Health 2007; 80: 711-719.

Benignus VA, Bushnell PJ, Boyes WK, et al. Neurobehavioral effects of acute exposure to four solvents: Meta-analyses. Toxicological Sciences 2009; 109: 296-305.

Wichmann FA, Muller A, Busi LE, et al. Increased asthma and respiratory symptoms in children exposed to petrochemical pollution. Journal of Allergy and Clinical Immunology 2009; 123: 632-638.

Gordian ME, Stewart AW, Morris SS. Evaporative gasoline emissions and asthma symptoms. International Journal of Environmental Research and Public Health 2010; 7: 3051-3062.

Sarigiannis DS, Karakitsios SP, Gotti A, et al. Exposure to major volatile organic compounds and carbonyls in European indoor environments and associated health risk. Environment International 2011; 37: 743-765.

Tanyanont W, Vichit-Vadakan N. Exposure to volatile organic compounds and health risks among residents in an area affected by a petroleum complex in Rayong, Thailand. Southeast Asian Journal of Tropical Medicine and Public Health 2012; 43: 201-211.

Specific Chemicals

Benzene

Hathaway GJ, Proctor NH. "Benzene" in GJ Hathway, NH Proctor. Proctor and Hughes' Chemical Hazards of the Workplace (Fifth Edition). Hoboken, NJ: John Wiley & Sons, Inc., 2004, pp. 69-73.

Landrigan PJ. "Benzene" in WN Rom, SB Markowitz (eds.). Environmental and Occupational Medicine (Fourth Edition). Philadelphia: Wolters Kluwer, 2007, pp. 1123-1128.

Toluene

Cohr KH, Stokholm J. Toluene: A toxicologic review. Scandinavian Journal of Work, Environment & Health 1979; 5: 71-90.

Morata TC, Nylen P, Johnson AC, Dunn DE. Auditory and vestibular function after single or combined exposure to toluene: a review. Archives of Toxicology 1995; 69: 431-443.

Hathaway GJ, Proctor NH. "Toluene" in GJ Hathway, NH Proctor. Proctor and Hughes' Chemical Hazards of the Workplace (Fifth Edition). Hoboken, NJ: John Wiley & Sons, Inc., 2004, pp. 681-683.

Ethylbenzene

ACGIH. Ethylbenzene: TLV® Chemical Substances 7th Edition Documentation. Cincinnati: ACGIH, 2011.

Hathaway GJ, Proctor NH. "Ethyl benzene" in GJ Hathway, NH Proctor. Proctor and Hughes' Chemical Hazards of the Workplace (Fifth Edition). Hoboken, NJ: John Wiley & Sons, Inc., 2004, pp. 311-312.

Xylenes

Riihimaki V, Savolainen K. Human exposure to m-xylene, kinetics and acute effects on the central nervous system. Annals of Occupational Hygiene 1980; 23: 411-422.

Savolainen K, Kekoni J, Riihimaki V, Laine A. Immediate effects of m-xylene on the human central nervous system. Archives of Toxicology Supplement 1984; 7: 412-417.

Kilburn KH, Seidman BC, Warshaw R. Neurobehavioral and respiratory symptoms of formaldehyde and xylene exposure in histology technicians. Archives of Environmental Health 1985; 40: 229-233.

Savolainen K, Riihimaki V, Luukkonen R, Muona O. Changes in the sense of balance correlate with concentrations of m-xylene in venous blood. British Journal of Industrial Medicine 1985; 42: 765-769.

American Conference of Industrial Hygienists. Xylene (All Isomers): TLV(R) Chemical Substances 7th Edition Documentation. Cincinnati: ACGIH, 2001.

Uchida Y, Nakatsuka H, Ukai H, et al. Symptoms and signs in workers exposed predominantly to xylenes. International Archives of Occupational and Environmental Health 1993; 64: 597-605.

Hathaway GJ, Proctor NH. "Xylene" in GJ Hathway, NH Proctor. Proctor and Hughes' Chemical Hazards of the Workplace (Fifth Edition). Hoboken, NJ: John Wiley & Sons, Inc., 2004, pp. 744-746.

Cyclohexane

BL to add

Hexane

BL to add

Heptane

BL to add

Hydrogen Sulfide

Beauchamp RO Jr, Bus JS, Popp JA, et al. A critical review of the literature on hydrogen sulfide toxicity. CRC Critical Reviews in Toxicology 1984; 13: 25-97.

Glass DC. A review of the health effects of hydrogen sulphide exposure. Annals of Occupational Hygiene 1990; 34: 323-327.

ACGIH. "Hydrogen sulfide" in Documentation of the TLV's and BEI's (7th ed.). Cincinnati: ACGIH, 2010.

Reiffenstein RJ, Hulbert WC, Roth SH. Toxicology of hydrogen sulfide. Annual Review of Pharmacology and Toxicology 1992; 32: 109-134.

Kilburn KH, Warshaw RH. Hydrogen sulfide and reduced-sulfur gases adversely affect neurophysiological functions. Toxicology and Industrial Health 1995; 11: 185-197.

Guidotti TL. Hydrogen sulphide. Occupational Medicine (London) 1996; 46: 367-371.

Hathaway GJ, Proctor NH. "Hydrogen sulfide" in GJ Hathway, NH Proctor. Proctor and Hughes' Chemical Hazards of the Workplace (Fifth Edition). Hoboken, NJ: John Wiley & Sons, Inc., 2004, pp. 394-395.

Beckett WS. "Chemical asphyxiants" in WN Rom, SB Markowitz (eds.). Environmental and Occupational Medicine (Fourth Edition). Philadelphia: Wolters Kluwer, 2007, pp. 566-567.

Sulfur Dioxide

National Institute for Occupational Safety and Health and Occupational Safety and Health Administration. Occupational health guideline for sulfur dioxide. September 1978. Available at: http://www.cdc.gov/niosh/docs/81-123/pdfs/0575.pdf. Accessed July 27, 2017.

Agency for Toxic Substances and Disease Registry. Toxicological Profile for Sulfur Dioxide. Atlanta: ATSDR, 1998.

Hajat S, Haines A, Atkinson RW, et al. Association between air pollution and daily consultations with general practitioners for allergic rhinitis in London, United Kingdom. American Journal of Epidemiology 2001; 153: 704-714.

Solé D, Camelo-Nunes IC, Wandalsen GF, et al. Prevalence of symptoms of asthma, rhinitis, and atopic eczema in Brazilian adolescents related to exposure to gaseous air pollutant and socioeconomic status. Journal of Investigational Allergology and Clinical Immunology 2007; 17: 6-13.

Longo BM, Rossignol A, Green JB. Cardiorespiratory health effects associated with sulphurous volcanic air pollution. Public Health 2008; 122: 809-820.

Szyszkowicz M, Rowe BH, Kaplan GG. Ambient sulphur dioxide exposure and emergency department visits for migraine in Vancouver, Canada. International Journal of Occupational Medicine and Environmental Health 2009; 22: 7-12.

Camara JG, Lagunzad JK. Ocular findings in volcanic fog induced conjunctivitis. Hawaii Medial Journal 2011; 70: 262-265.

Acetone

BL to add

Psychological Effects of Oil Spills and Other Chemical Releases

Palinkas LA, Petterson JS, Russell J, Downs MA. Community patterns of psychiatric disorders after the Exxon Valdez oil spill. American Journal of Psychiatry 1993; 150: 1517-1523.

Bowler RM, Mergler D, Huel G, Cone JE. Aftermath of a chemical spill: Psychological and physiological sequelae. NeuroToxicology 1994; 15: 723-730.

Bowler RM, Mergler D, Huel G, Cone JE. Psychological, psychosocial, and psychophysiological sequelae in a community affected by a railroad chemical disaster. Journal of Traumatic Stress 1994; 7: 601-624.

Dayal HH, Baranowski T, Li YH, Morris R. Hazardous chemicals: Psychological dimensions of the health sequelae of a community exposure in Texas. Journal of Epidemiology and Community Health 1994; 48: 560-568.

Carrasco JM, Pérez-Gómez B, García-Mendizábal MJ, et al. Health-related quality of life and mental health in the medium-term aftermath of the Prestige oil spill in Galiza (Spain): A cross-sectional study. BMC Public Health 2007; 7: 245.

Gallacher J, Bronstering K, Palmer S, et al. Symptomatology attributable to psychological exposure to a chemical incident: A natural experiment. Journal of Epidemiology and Community Health 2007; 61: 506-512.

Song M, Hong Y-C, Cheong H-K, et al. Psychological health in residents participating in clean-up works of Hebei Spirit oil spill. Journal of Preventive Medicine and Public Health 2009; 42: 82-88.

Osofsky HJ, Palinkas LA, Galloway JM. Mental health effects of the Gulf Oil Spill. Disaster Medicine and Public Health Preparedness 2010; 4: 273-276.

Gill DA, Picou JS, Ritchie LA. The Exxon Valdez and BP oil spills: A comparison of initial social and psychological impacts. American Behavioral Scientist 2012; 56: 3-23.

McCormick LC, Tajeu GS, Klapow J. Mental health consequences of chemical and radiologic emergencies: A systematic review. Emergency Medical Clinics of North America 2015; 33: 197-211.

Choi K-H, Lim M-H, Ha M, et al. Psychological vulnerability of residents of communities affected by the Hebei Spirit oil spill. Disaster Medicine and Public Health Preparedness 2016; 10: 51-58.

Rung AL, Gaston S, Oral E, et al. Depression, mental distress, and domestic conflict among Louisiana women exposed to the Deepwater Horizon oil spill in the WaTCH Study. Environmental Health Perspectives 2016; 124: 1429-1435.